

Subrion Opensource CMS - Feature #613

Multilingual issues

January 24, 2013 01:37 - Vasily Bezruchkin

Status:	Rejected	Start date:	January 24, 2013
Priority:	Urgent	Due date:	
Assignee:	Gleb Surinov	% Done:	100%
Category:	Core	Estimated time:	0.00 hour
Target version:	4.1.0		
Description			
<p>I write to you because i find something that it would be better to adjust to next releases. When i create a multilanguage site with subrion let's say english and greek what happens:</p> <p>When i am on english language the is "en" on source code, when i change language and go to greek language the source code don't became but stay the same . Please try to fix this issue for every language, because subrion is really nice cms.</p> <p>You could optimize and the Meta-description & Meta-keywords for different languages, it will be very nice and the seo will rock, every language will have differents meta tags.</p> <p>A last thing, i try to write an article with greek letters, but in the source code the greek letters appears like this: " ?? ????? ? ????, ?? ??? ? ??? ? ? ? ? ? ? ? ? "</p> <p>I have try to insert the default iso charset for pages in iso-8859-7 but i had the same result. By the way my mysql is on utf-8_general_ci Did you have any solution for this? I make any mistake? What di you think about the first propose? it's a good idea? Subrion the perfect myltilanguage cms :)</p> <p>Initial request: TICKET ID EYC-302-27229</p>			

History

#1 - January 24, 2013 01:38 - Vasily Bezruchkin

- Description updated

#2 - February 12, 2013 21:50 - Vasily Bezruchkin

- Target version changed from 4.5.0 to 2.3.7

#3 - March 26, 2013 06:04 - Vasily Bezruchkin

- Target version changed from 2.3.7 to 3.1.8

#4 - April 07, 2014 02:03 - Vasily Bezruchkin

- Target version changed from 3.1.8 to 110

#5 - April 22, 2014 22:37 - Vasily Bezruchkin

- Target version changed from 110 to 3.2.7

#6 - February 02, 2015 04:26 - Vasily Bezruchkin

- Target version changed from 3.2.7 to 4.4.0

#7 - April 25, 2016 06:08 - j b

Meta-description & Meta-keywords for different languages:
one of the ways

1. `admin\pages.php`

rows 78-79

```
$pageKeywords = $this->_iaDb->keyvalue(array('key', 'value'), "`key` LIKE('page_keyword_%') AND `category` = 'page' AND `code` = '$currentLanguage'");
$pageDescriptions = $this->_iaDb->keyvalue(array('key', 'value'), "`key` LIKE('page_description_%') AND `category` = 'page' AND `code` = '$currentLanguage'");
```

rows 88-89

```
$entry['keyword'] = isset($pageKeywords["page_keyword_{$entry['name']}"]) ? $pageKeywords["page_keyword_{$entry['name']}"] : 'No keywords';
$entry['description'] = isset($pageDescriptions["page_description_{$entry['name']}"]) ? $pageDescriptions["page_description_{$entry['name']}"] : 'No description';
```

rows 105-106

```
// $entry['meta_description'] = utf8_is_valid($data['meta_description']) ? $data['meta_description'] : utf8_bad_replace($data['meta_description']);
// $entry['meta_keywords'] = utf8_is_valid($data['meta_keywords']) ? $data['meta_keywords'] : utf8_bad_replace($data['meta_keywords']);
```

row 277

```
foreach (array('title', 'content', 'keyword', 'description') as $type)
```

row 312

```
$this->_iaDb->delete("`key` IN ('page_title_{$pageName}', 'page_content_{$pageName}', 'page_keyword_{$pageName}', 'page_description_{$pageName}'), iaLanguage::getTable());
```

row 325

```
if (isset($_POST['titles']) && isset($_POST['contents']) && isset($_POST['keywords']) && isset($_POST['descriptions']))
```

rows 329-330

```
$entryData['keywords'] = $_POST['keywords'];
$entryData['descriptions'] = $_POST['descriptions'];
```

rows 337-338

```
$entryData['keywords'] = $this->_iaDb->keyvalue(array('code', 'value'), "`key` = 'page_keyword_{$entryData['name']}' AND `category` = 'page'");
$entryData['descriptions'] = $this->_iaDb->keyvalue(array('code', 'value'), "`key` = 'page_description_{$entryData['name']}' AND `category` = 'page'");
```

2. admin/templates/default/pages.tpl

remove rows 169-190

```
<div class="wrap-group js-local-url-field">
  <div class="wrap-group-heading">
    <h4>{lang key='seo'}</h4>
  </div>

  <div class="row">
    <label class="col col-lg-2 control-label">{lang key='meta_description'}</label>

    <div class="col col-lg-4">
      <textarea name="meta_description" rows="2">{item.meta_description|escape:'html'}</textarea>
    </div>
  </div>

  <div class="row">
    <label class="col col-lg-2 control-label">{lang key='meta_keywords'}</label>

    <div class="col col-lg-4">
      <input type="text" name="meta_keywords" value="{item.meta_keywords|escape:'html'}">
    </div>
  </div>
```

```
        </div>
    </div>
</div>
```

insert rows 180-205

```
<div style="padding:15px;margin:-5px -14px 0px;background-color:#cbede7;">
<div class="row">
    <h4>{lang key='seo'}</h4>
</div>

<div class="row">
    <label class="col col-lg-2 control-label">{lang key='meta_description'}</label>
    <div class="col col-lg-10">
        <textarea style="height:4em" name="descriptions[{$code}]" rows="2">{if isset($item.descriptions.$code)}
        {$item.descriptions.$code|escape:'html'}{/if}</textarea>
    </div>
</div>

<div class="row">
    <label class="col col-lg-2 control-label">{lang key='meta_keywords'}</label>
    <div class="col col-lg-10">
        <input type="text" name="keywords[{$code}]" value="{if isset($item.keywords)}{$item.keywords.$code|esc
ape:'html'}{/if}">
    </div>
</div>
</div>

<div class="row">
    <div class="block-heading"></div>
    <div class="block-heading">
        <h4>{lang key='pages_group_content'}</h4>
    </div>
</div>
```

3. *templates\ACTIVE-template\layout.tpl*
replace 2 meta - rows:

```
<meta name="description" content="{core['page']['meta-description']}">
<meta name="keywords" content="{core['page']['meta-keywords']}">
```

#8 - April 25, 2016 06:11 - j b

+

4. *includes\classes\ia.core.view.php*

rows 1040-1041

```
$metaDescription = (empty($value) && iaLanguage::exists('page_description_' . $pageName))
    ? iaLanguage::get('page_description_' . $pageName)
```

rows 1047-1048

```
$metaKeywords = (empty($value) && iaLanguage::exists('page_keyword_' . $pageName))
    ? iaLanguage::get('page_keyword_' . $pageName)
```

#9 - November 28, 2016 03:23 - Vasily Bezruchkin

- Assignee changed from Vasily Bezruchkin to Gleb Surinov

- Target version changed from 4.4.0 to 4.1.0

#10 - November 28, 2016 04:26 - Gleb Surinov

- Status changed from New to Rejected

- % Done changed from 0 to 100

Rejecting...

Description:

Bugs with locales are fixed.

For multilingual Metas and keywords, please refer to: Feature [#204](#)